



Pump Chain Pewag PCWI Stainless

Product information

Application for submersible pumps and breathers in the water and waste water area.

Material: 1.4404 (AISI 316L), 1.4462 (AISI 318LN).

Finish: Bright polished.

Safety factor: 4:1

Grade: 6

Part Code	WLL ton	Master link	Chain	Transition link	Shackle jaw space mm	Length of master links/end links mm	Weight SL*	Delivery time
229862515	0.32	AWI 6	WOX 4x12-5	-	18	60	0.39	7
229887067	0.4	AWI 8	WOX 4x12	BWI 5	18	60	0.43	7
229887069	0.56	AWI 8	WOX 5x15	BWI 7	25	60	0.62	7
229887071	0.63	AWI 10	WOX 5x15	BWI 7	25	80	0.68	7
229887073	0.85	AWI 10	WOX 6x18	BWI 7	25	80	0.9	7
229887075	1.25	AWI 13	WOX 7x21	BWI 9	25	110	1.35	7
229887077	1.6	AWI 13	WOX 8x24	BWI 10	32	110	1.7	7
229887079	2.5	AWI 16	WOX 10x30	BWI 13	41	110	2.6	7
229887081	3.5	AWI 18	WOX 13X39	BWI 16	56	135	4.5	7
229887082	6.3	AWI 22	WOX 16x48	BWI 20	56	160	8	7
229830193	8	AWI 26	WOX 20x60	BWI 22	76	180	21	7
229830196	12	AWI 45	WOX 26x78	BWI 32	76	340	43.2	7

Blueprint

