

## Swageless Terminal with Eye

### Product information



Swageless stainless eye terminal for safe, reliable and machine free self assembly.

**Material:** Stainless steel AISI 316.

**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** High polished.

**Warning:** Read assembly instructions before use!

Part Code	Rope Ø range mm	MBL ton	Wire Ø inch	A mm	D mm	L1 mm	L2 mm	KW1	KW2	Weight kg/100pc	Delivery time
1207821903	3	0.75	1/18"	5,5	6.5	58.6	50.1	13	12	4	7
1207821904	4	1.5	5/32"	7	8.5	71.4	60.4	13	14	7.3	7
1207821905	5	2.18	-	8	10.5	81.5	69.5	17	16	9.8	7
1207821906	6	3.7	1/4"	9	13	96	82	19	19	15	7
1207821907	7	4.7	9/32"	9	13.2	105	89.5	22	22	21.2	7
1207821908	8	5.6	5/16"	10	14.5	117	100.5	24	24	28.1	7
1207821910	10	8.3	-	13	16.2	137	117	27	27	46	7
1207821912	12	12	-	15	19.5	161	139.5	32	32	72	7
1207821914	14	14	-	18	23	187.6	161.6	36	36	110	7
1207	16	23	5/8"	20	26	214	185	41	41	160	7

## Blueprint

