

## Stainless Eye Terminal

### Product information



Eye terminals for pressing or swaging onto stainless steel wire rope. They are mainly used as an attachment to rigging screws or forks.

**Material:** Stainless steel AISI 316.

**Marking:** logo, wire size and swage depth.

**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** High polished.

Part Code	Rope Ø range mm	MBL ton	A mm	B mm	D1 mm	D2 mm	L1 mm	L2 mm	Weight kg/100pc	Delivery time
1207190002	2	1.2	3	12	5,5	5,5	41	24	0.9	7
1207190025	2.5	1	3	12	5,5	5,5	44	27	0.8	7
1207190003	3	1.3	4	14	6,35	6,5	60	38	1.3	3
1207190004	4	1.7	5	17	7,5	8,5	67	45	2.3	3
1207190005	5	2.4	6	21	9,0	10,5	79	51	3.9	3
1207190006	6	5.5	8	25	12,58	13,0	94	64	8.7	3
1207190006X	6	5.5	10	28	12,58	13,2	105	64	13.2	7
1207190007	7	6.8	9	27	14,2	13,0	104	70	11.5	7

1207190007X	7	6.8	10	28	14,2	13,2	110	70	13.5	7
1207190008	8	8	10	30	16,0	14,5	124	83	17	3
1207190008X	8	8	12	36	16,0	16,5	141	83	23.5	7
1207190010	10	9.7	11	35	17,8	16,3	137	89	25	3
1207190010X	10	9.7	16	40	17,8	19,5	165	100	38	7
1207190012X	12	14.2	15	42	21,4	19,3	178	120	41	7
1207190012	12	11.4	15	40	20,0	19,3	156	105	41.5	3
1207190014	14	15.9	18	47	25,0	23,0	206	140	75.6	7
1207190016	16	19	20	53	28,0	26	232	160	102	7
1207190016	19	31	25	65	34,5	28,5	302	200	209	7
1207190020	20	31	25	65	34.5	28.5	302	200	199.8	7
1207190022	22	42	30	70	40,4	33,0	348	230	314	7
1207190026	26	53	30	77	46,0	36,0	400	280	425	7
1207190028	28	64	35	84	50	40.5	445	300	602	7

# Blueprint

