



Pump Chain Pewag PCWI Stainless

Tootekirjeldus

Application for submersible pumps and breathers in the water and waste water area.

Ohutustegur: 4:1

Klass: 6

Tootekood	WLL tonn	Master link	Kett	Transition link	Shackle jaw space mm	Length of master links/end links mm	Kaal SL*	Tarneaeg
229862515	0,32	AWI 6	WOX 4x12-5	-	18	60	0,39	7
229887067	0,4	AWI 8	WOX 4x12	BWI 5	18	60	0,43	7
229887069	0,56	AWI 8	WOX 5x15	BWI 7	25	60	0,62	7
229887071	0,63	AWI 10	WOX 5x15	BWI 7	25	80	0,68	7
229887073	0,85	AWI 10	WOX 6x18	BWI 7	25	80	0,9	7
229887075	1,25	AWI 13	WOX 7x21	BWI 9	25	110	1,35	7
229887077	1,6	AWI 13	WOX 8x24	BWI 10	32	110	1,7	7
229887079	2,5	AWI 16	WOX 10x30	BWI 13	41	110	2,6	7
229887081	3,5	AWI 18	WOX 13x39	BWI 16	56	135	4,5	7
229887082	6,3	AWI 22	WOX 16x48	BWI 20	56	160	8	7
229830193	8	AWI 26	WOX 20x60	BWI 22	76	180	21	7
229830196	12	AWI 45	WOX 26x78	BWI 32	76	340	43,2	7

Blueprint

